



Astro

Subverting the cognition of lighting, Astro perfectly coordinates the flood and spot lighting through a circle and a dot, adhering to the fanatical pursuit of aesthetics, and persistence in details.

The well-built mechanical device made Astro's suspension length change freely, the light can be moved to a desired height.

It adopts RG0 full-spectrum eye-protection light source, which is infinitely close to natural light.







Pendant rope stretchable
Freely hover at a desired height



Brightness dimmable in 3 stages 10%-50%-100%
Controlled by switch panel,
on, on-off-on,
on-off-on-off-on

The On-off switch has a function of memory. The first turn-on shows the latest brightness stage.







LED | 36V | IP20

CRI ≥ 98 RG0

INSTALL TYPE / SURFACE MOUNTED

CCT / 2700K ● 3000K ● 3500K ● 4000K ●

TUNABLE WHITE / 2700K 6000K

BEAM ANGLE / 60° 120°


FINISHING COLOR / BLACK WHITE

MATERIAL / METAL

LUMENS / 52 Lm/W

POWER / 30W

BRIGHTNESS ADJUSTABLE / 10% - 50% - 100%



DRIVER*		
COMMON IN		
ON/OFF	220-240V AC-50/60Hz	100-277V AC-50/60Hz
CUSTOMIZE AVAILABLE		
TRIAC DIM	220-240V AC-50/60Hz	100-277V AC-50/60Hz
0-10V DIM	220-240V AC-50/60Hz	100-277V AC-50/60Hz
DALI DIM	220-240V AC-50/60Hz	100-277V AC-50/60Hz